

STARPRINT LIMITED

| | |
|------------------------|-----------------------|
| | |
| | |
| Student Name | Joginder S Nahil |
| Lecturer's Name | Dr. Aaron Mann |
| General Date | 07/10/2007 14:40:26 |
| Long Date | 07 October 2007 |
| Short Date | 07/10/2007 |
| Long Time | 14:40:26 |
| Short Time | 14:40 |

```

00001 <%@ Language=VBScript %>
00002 <!-- #include file="incValidUserGet.inc" -->
00003 <HTML>
00004 <HEAD>
00005 <META NAME="VI60_DefaultClientScript" CONTENT="VBScript">
00006 <META NAME="GENERATOR" CONTENT="Microsoft Visual Studio 6.0">
00007 <LINK REL="stylesheet" TYPE="text/css" HREF="Styles.css">
00008 <!-- #include file="incConStrings.inc" -->
00009 <!-- #include file="incScriptsServer.asp" -->
00010 <SCRIPT ID=clientEventHandlersVBS LANGUAGE=vbscript>
00011 <!--
00012
00013 sub cmdPrev_onclick
00014 frmAreaTrails.txtButtonClicked.value = frmAreaTrails.cmdPrev.value
00015 frmAreaTrails.txtNavigation.value = "Standard"
00016 frmAreaTrails.submit
00017 end sub
00018
00019 sub cmdNext_onclick
00020 frmAreaTrails.txtButtonClicked.value = frmAreaTrails.cmdNext.value
00021 frmAreaTrails.txtNavigation.value = "Standard"
00022 frmAreaTrails.submit
00023 end sub
00024
00025 sub cboFormList_onchange
00026 frmAreaTrails.txtButtonClicked.value = frmAreaTrails.cboFormList.value
00027 frmAreaTrails.txtNavigation.value = "Standard"
00028 frmAreaTrails.submit
00029 end sub
00030
00031 -->
00032 </SCRIPT>
00033 </HEAD>
00034 <BODY BGCOLOR="AliceBlue">
00035 <!-- #include file="incHeader.inc" -->
00036 <FORM ACTION="AreaTrailsProc.asp" METHOD=POST ID=frmAreaTrails NAME=frmAreaTrails>
00037 > <%
00037 Dim con
00038 Dim rst
00039 Dim strSQL
00040 Dim strAreaID
00041 Dim strAreaName
00042 'Dim strUserID - defined in incValidUserGet
00043 Dim strEditMode
00044 Dim strDisabled
00045 Dim strSCButtonType
00046 Dim strCurrent
00047 Dim strGroup
00048 Dim strDTStamp
00049
00050
00051 Set con = Createobject("ADODB.Connection")
00052 Set rst = Createobject("ADODB.Recordset")
00053 con.ConnectionString = gstrAtlas
00054
00055 strAreaID = Request.QueryString("txtAreaID")
00056 strUserID = Request.QueryString("txtUserID")
00057 strEditMode = Request.QueryString("txtEditMode")
00058 strCurrent = "AreaFacilities"
00059 strGroup = "AreaMain"
00060
00061 Select Case strEditMode
00062 Case "R"
00063 strDisabled = " DISABLED "
00064 strSCButtonType = "Hidden "
00065 Case "W"
00066 strDisabled = ""
00067 strSCButtonType = "Button "
00068 End Select
00069
00070 strSQL = "SELECT areName FROM " & gstrTS & "tblArea WHERE areID = '" & strAreaID &
00071 > ""

```

```

00071
00072 con.Open
00073 rst.Open strSQL, con
00074
00075 strAreaName = rst.Fields("areName").Value
00076 rst.Close
00077
00078 'No data to retrieve here other than the DTStamp
00079 'The rest of the data will be retrieved and used
00080 'to build a grid later in this file.
00081 strSQL = "SELECT trlDTStamp" _
00082     & " FROM " & gstrTS & "tblTrail" _
00083     & " WHERE areID = '" & strAreaID & "'"
00084 rst.Open strSQL, con
00085 If rst.BOF And rst.EOF Then
00086     'no records for this area
00087     strDTStamp = "0"
00088 Else
00089     rst.MoveFirst
00090     strDTStamp = rst.Fields("trlDTStamp").Value
00091 End If
00092 rst.Close
00093
00094
00095
00096 Set rst = Nothing
00097
00098 Response.Write(BuildNavSystemStd("AreaTrails", "AreaMain", strAreaID, strAreaName,
00099 » strUserID, con))
00100
00101 <%>
00102 <INPUT TYPE="Hidden" NAME="txtDTStamp" ID="txtDTStamp" VALUE="<%
00103 » Response.Write(strDTStamp) %>">
00104 <INPUT TYPE="Hidden" NAME="txtEditMode" ID="txtEditMode" VALUE="<%
00105 » Response.Write(strEditMode) %>">
00106 <INPUT TYPE="Hidden" NAME="txtGridIHTML" ID="txtGridIHTML">
00107 <TABLE WIDTH=100% BORDER="0" CELLSPACING="0" CELLPADDING="0">
00108 <TR HEIGHT="10">
00109 <TD></TD>
00110 </TR>
00111 </TABLE>
00112 <DIV WIDTH="100%" STYLE="BACKGROUND:White; HEIGHT=150; OVERFLOW=Auto; BORDER: Thin
00113 » Black Solid">
00114 <TABLE WIDTH=100% BORDER="0" CELLSPACING="0" CELLPADDING="0">
00115 <TR>
00116 <TD><% Response.Write(BuildTrailList(strAreaID, con)) %>
00117 </TD>
00118 </TR>
00119 </TABLE>
00120 </DIV>
00121 <TABLE WIDTH=100% BORDER="0" CELLSPACING="0" CELLPADDING="0">
00122 <TR HEIGHT="10">
00123 <TR>
00124 <TD WIDTH="60%" ALIGN="Left">
00125 <INPUT TYPE="Button" VALUE="Add Trail" CLASS="ButtonStd" ID="cmdAdd" NAME=
00126 » "cmdAdd"></TD>
00127 </TR>
00128 </TABLE>
00129 </FORM>
00130 </BODY>
00131 </HTML>
00132

```

```
00001 <HEAD>
00002 <BODY>
00003 <H1>1996 U.S. Federal Income Tax Estimator </H1>
00004 To compute your 1996 U.S. Federal Income Tax, follow the steps in the table below. You
    » only need to enter the data in the boldface fields. JavaScript will perform all the
    » necessary computations for you.
00005 <P>
00006 <I>This program is an example only. Computing your actual income tax is almost
    » always more complicated than this! </I>
00007 <!--
00008     -- The stuff below is an HTML table inside of an HTML form. It gets tricky!
00009     -- Notice the event handlers on all the form input elements.
00010     -->
00011 </BODY>
00012 </HEAD>
00013
```

```
00001 .clsHeader
00002 {
00003 FONT-WEIGHT: bold;
00004 FONT-SIZE: 16pt;
00005 COLOR: black;
00006 FONT-FAMILY: Verdana
00007 }
00008 .clsTabTextSelected
00009 {
00010 FONT-SIZE: 8pt;
00011 COLOR: #ffffff;
00012 FONT-FAMILY: Verdana
00013 }
00014 .clsTabTextNotSelected
00015 {
00016 FONT-SIZE: 8pt;
00017 COLOR: black;
00018 FONT-FAMILY: Verdana
00019 }
00020 .clsTableHeader
00021 {
00022 FONT-WEIGHT: bold;
00023 FONT-SIZE: 9pt;
00024 FONT-FAMILY: Verdana;
00025 TEXT-ALIGN: center
00026 }
00027 .clsTableHeaderLeft
00028 {
00029 FONT-WEIGHT: bold;
00030 FONT-SIZE: 9pt;
00031 FONT-FAMILY: Verdana;
00032 TEXT-ALIGN: left
00033 }
00034 .clsTableHeaderRight
00035 {
00036 FONT-WEIGHT: bold;
00037 FONT-SIZE: 9pt;
00038 FONT-FAMILY: Verdana;
00039 TEXT-ALIGN: right
00040 }
00041 .clsTableHeaderWhiteCenter
00042 {
00043 FONT-WEIGHT: bold;
00044 FONT-SIZE: 9pt;
00045 COLOR: #ffffff;
00046 FONT-FAMILY: Verdana;
00047 TEXT-ALIGN: center
00048 }
00049 .clsTableHeaderWhiteLeft
00050 {
00051 FONT-WEIGHT: bold;
00052 FONT-SIZE: 9pt;
00053 COLOR: #ffffff;
00054 FONT-FAMILY: Verdana;
00055 TEXT-ALIGN: left
00056 }
00057 .clsTableTotalData
00058 {
00059 FONT-WEIGHT: bold;
00060 FONT-SIZE: 9pt;
00061 FONT-FAMILY: Verdana;
00062 TEXT-ALIGN: center
00063 }
00064 .clsDisclaimer
00065 {
00066 FONT-SIZE: 7pt;
00067 FONT-FAMILY: Verdana
00068 }
00069 .clsDisclaimerEmphasized
00070 {
00071 FONT-WEIGHT: bold;
```

```
00072 FONT-SIZE: 7pt;
00073 FONT-FAMILY: Verdana
00074 }
00075 .clsFooter
00076 {
00077 FONT-SIZE: 9pt;
00078 FONT-FAMILY: Verdana;
00079 TEXT-ALIGN: center
00080 }
00081 .clsBodyText
00082 {
00083 FONT-SIZE: 9pt;
00084 COLOR: red;
00085 FONT-FAMILY: Verdana
00086 }
00087 .clsTableCellDataRight
00088 {
00089 FONT-SIZE: 9pt;
00090 VERTICAL-ALIGN: top;
00091 FONT-FAMILY: Verdana;
00092 TEXT-ALIGN: right
00093 }
00094 .clsTableCellDataLeft
00095 {
00096 FONT-SIZE: 9pt;
00097 VERTICAL-ALIGN: top;
00098 FONT-FAMILY: Verdana;
00099 TEXT-ALIGN: left
00100 }
00101 .clsTableCellDataCenter
00102 {
00103 FONT-SIZE: 9pt;
00104 VERTICAL-ALIGN: top;
00105 FONT-FAMILY: Verdana;
00106 TEXT-ALIGN: center
00107 }
00108 .clsTableCellDataRightEmphasized
00109 {
00110 FONT-WEIGHT: bold;
00111 FONT-SIZE: 9pt;
00112 VERTICAL-ALIGN: top;
00113 FONT-FAMILY: Verdana;
00114 TEXT-ALIGN: right
00115 }
00116 .clsTableCellDataLeftEmphasized
00117 {
00118 FONT-WEIGHT: bold;
00119 FONT-SIZE: 9pt;
00120 VERTICAL-ALIGN: top;
00121 FONT-FAMILY: Verdana;
00122 TEXT-ALIGN: left
00123 }
00124 .clsTableCellDataCenterEmphasized
00125 {
00126 FONT-WEIGHT: bold;
00127 FONT-SIZE: 9pt;
00128 VERTICAL-ALIGN: top;
00129 FONT-FAMILY: Verdana;
00130 TEXT-ALIGN: center
00131 }
00132 .clsTableRowLightBlue
00133 {
00134 BACKGROUND-COLOR: #d6e7f2
00135 }
00136 .clsTableRowBlue
00137 {
00138 BACKGROUND-COLOR: #0073c6
00139 }
00140 .clsTableBlueBorder
00141 {
00142 BORDER-TOP-WIDTH: 5px;
00143 BORDER-LEFT-WIDTH: 5px;
```

```
00144 BORDER-LEFT-COLOR: #0073c6;
00145 BORDER-BOTTOM-WIDTH: 5px;
00146 BORDER-BOTTOM-COLOR: #0073c6;
00147 BORDER-TOP-COLOR: #0073c6;
00148 BORDER-RIGHT-WIDTH: 5px;
00149 BORDER-RIGHT-COLOR: #0073c6
00150 }
00151 .clsMessageText
00152 {
00153 FONT-WEIGHT: bold;
00154 FONT-SIZE: 9pt;
00155 COLOR: #0073c6;
00156 FONT-FAMILY: Verdana;
00157 TEXT-ALIGN: left
00158 }
00159 .clsTableRowLightBrown
00160 {
00161 BACKGROUND-COLOR: #f6e2bb
00162 }
00163 .clsSummaryMainHeading
00164 {
00165 FONT-WEIGHT: bold;
00166 FONT-SIZE: 20pt;
00167 COLOR: black;
00168 FONT-FAMILY: Arial Narrow, Arial;
00169 TEXT-ALIGN: center
00170 }
00171 .clsSummarySubHeading
00172 {
00173 FONT-SIZE: 12pt;
00174 COLOR: black;
00175 FONT-FAMILY: Arial Narrow, Arial;
00176 TEXT-ALIGN: center
00177 }
00178 .clsSummarySectionHeading
00179 {
00180 FONT-WEIGHT: bold;
00181 FONT-SIZE: 14pt;
00182 COLOR: black;
00183 FONT-FAMILY: Arial Narrow, Arial;
00184 TEXT-ALIGN: left
00185 }
00186 .clsSummaryText
00187 {
00188 FONT-SIZE: 10pt;
00189 COLOR: black;
00190 FONT-FAMILY: Arial;
00191 TEXT-ALIGN: left
00192 }
00193 .clsSummaryDisclaimer
00194 {
00195 FONT-SIZE: 8pt;
00196 COLOR: black;
00197 FONT-FAMILY: Arial;
00198 TEXT-ALIGN: left
00199 }
00200 .clsSummaryTextColHeading1
00201 {
00202 FONT-WEIGHT: bold;
00203 FONT-SIZE: 10pt;
00204 COLOR: black;
00205 FONT-FAMILY: Arial;
00206 TEXT-ALIGN: left
00207 }
00208 .clsSummaryTextColHeading2
00209 {
00210 FONT-WEIGHT: bold;
00211 FONT-SIZE: 10pt;
00212 COLOR: black;
00213 FONT-STYLE: italic;
00214 FONT-FAMILY: Arial;
00215 TEXT-ALIGN: left
```

```
00216 }
00217 .clsSummaryNumericColHeading1
00218 {
00219 FONT-WEIGHT: bold;
00220 FONT-SIZE: 10pt;
00221 COLOR: black;
00222 FONT-FAMILY: Arial;
00223 TEXT-ALIGN: right
00224 }
00225 .clsSummaryNumericColHeading2
00226 {
00227 FONT-WEIGHT: bold;
00228 FONT-SIZE: 10pt;
00229 COLOR: black;
00230 FONT-STYLE: italic;
00231 FONT-FAMILY: Arial;
00232 TEXT-ALIGN: right
00233 }
00234 .clsSummaryTextData1
00235 {
00236 FONT-SIZE: 9pt;
00237 VERTICAL-ALIGN: top;
00238 COLOR: black;
00239 FONT-FAMILY: Arial;
00240 TEXT-ALIGN: left
00241 }
00242 .clsSummaryTextData2
00243 {
00244 FONT-SIZE: 9pt;
00245 VERTICAL-ALIGN: top;
00246 COLOR: black;
00247 FONT-STYLE: italic;
00248 FONT-FAMILY: Arial;
00249 TEXT-ALIGN: left
00250 }
00251 .clsSummaryNumericData1
00252 {
00253 FONT-SIZE: 9pt;
00254 VERTICAL-ALIGN: top;
00255 COLOR: black;
00256 FONT-FAMILY: Arial;
00257 TEXT-ALIGN: right
00258 }
00259 .clsSummaryNumericData2
00260 {
00261 FONT-SIZE: 9pt;
00262 VERTICAL-ALIGN: top;
00263 COLOR: black;
00264 FONT-STYLE: italic;
00265 FONT-FAMILY: Arial;
00266 TEXT-ALIGN: right
00267 }
00268 .clsSummarySubTotal
00269 {
00270 FONT-WEIGHT: bold;
00271 FONT-SIZE: 10pt;
00272 COLOR: black;
00273 FONT-FAMILY: Arial;
00274 TEXT-ALIGN: right
00275 }
```

```
00001 <HTML>
00002 <HEAD>
00003 <META NAME="VERSION" CONTENT="9.0.0.2518">
00004 <TITLE></TITLE>
00005 <script LANGUAGE="javascript">
00006 <!--
00007 GLOBAL_VERSION = 0;
00008 //-->
00009 </SCRIPT>
00010 <script LANGUAGE="javascript" src="global.js">
00011 <!--
00012 {
00013
00014     function writeBcast_CharSetInfo() {
00015         document.write("<meta http-equiv=Content-Type content='text/html; charset= ' +
00016             » BCAST_CHARSET + '\>");
00017     }
00018     writeBcast_CharSetInfo();
00019
00020 }
00021 }
00022 //-->
00023 </SCRIPT>
00024 <script LANGUAGE="javascript">
00025 <!--
00026     if (GLOBAL_VERSION == 0)
00027         document.location.reload();
00028 //-->
00029 </SCRIPT>
00030 <STYLE TYPE="text/css">
00031 <!--
00032 @import url(style.css);
00033 -->
00034 </STYLE>
00035 <script LANGUAGE="JavaScript">
00036 <!--
00037 {
00038
00039     function writeCodeBaseNSMediaPlayer() {
00040         document.write("<object ID='NSPLAY1' NAME='NSPLAY1' BORDER='0' WIDTH='0' HEIGHT='0'
00041             » codebase=", NS_CORE, " CLASSID='clsid:22D6F312-B0F6-11D0-94AB-0080C74C7E95'> <param
00042             » name='ControlType' value='nsNone'><param name='BufferingTime' value='1'> <param
00043             » name='AutoRewind' value='1'><param name='AutoSize' value='0'> <param
00044             » name='AutoStart' value='1'><param name='TransparentAtStart' value='1'><param
00045             » name='InvokeURLs' value='0'> <param name='DefaultFrame' value='SlideDisplay'>
00046             » </object> ");
00047     }
00048
00049     function writeCodeBaseFTS(){
00050
00051     function DisplayState(){
00052         PLAY_STATE = NSPLAYER1.PlayState;
00053         switch (PLAY_STATE){
00054             case "0":
00055                 window.status = NSPLAYER_WINDOW_STATUS_STOPPED;
00056             case "1":
00057                 window.status = NSPLAYER_WINDOW_STATUS_PAUSED;
00058             case "2":
00059                 window.status = NSPLAYER_WINDOW_STATUS_PLAYING;
00060             case "3":
00061                 window.status = NSPLAYER_WINDOW_STATUS_WAITING;
00062         }
```

```
00063     }
00064
00065     }
00066
00067 -->
00068 </SCRIPT>
00069 <script LANGUAGE="JavaScript" for="window" event="onload">
00070 <!--
00071
00072 obj = document.all.item ("NSPLAY1");
00073 if (obj.readyState != 4){
00074     alert (NS_ERROR);
00075 }
00076
00077
00078
00079
00080 document.title = FEATURE_TITLE + " " + LOBBY_PAGE_LABEL;
00081 document.all.FEATURE_TITLE.innerText = FEATURE_TITLE;
00082 document.all.EVENT_TITLE.innerText = EVENT_TITLE;
00083 document.all.EVENT_PRESENTER.innerText = EVENT_PRESENTER;
00084
00085 document.all.EVENT_CONTACT.innerHTML = '<a href="mailto:' + EVENT_CONTACT + '?Subject='
00086 >> + EVENT_TITLE + '>' + EVENT_CONTACT + '</a>';
00087 document.all.EVENT_DESCRIPTION.innerHTML = EVENT_DESCRIPTION;
00088 document.all.EVENT_TITLE_LABEL.innerText = EVENT_TITLE_LABEL;
00089 PAGE_COLOR = "#000094";
00090
00091 document.all.EVENT_PRESENTER_LABEL.innerText = EVENT_PRESENTER_LABEL;
00092 document.all.EVENT_CONTACT_LABEL.innerHTML = EVENT_CONTACT_LABEL;
00093 document.all.EVENT_DESCRIPTION_LABEL.innerText = EVENT_DESCRIPTION_LABEL;
00094 document.all.ReplayButton.innerText = REPLAY_BUTTON_LABEL;
00095 document.all.ReplayButton.Title = REPLAY_BUTTON_TITLE;
00096 document.all.nsplayer.style.visibility = "hidden";
00097
00098 if ((SHOW_TIME != "") && (SHOW_END_TIME != "")) {
00099     document.all.DATE_TIME_LABEL.innerText = DATE_TIME_LABEL;
00100     document.all.DATE_TIME.innerText = (SHOW_TIME_LOCAL + " - " + SHOW_END_TIME_LOCAL);
00101 }
00102 else {
00103     document.all.DATE_TIME_LABEL.style.visibility = "hidden";
00104     document.all.DATE_TIME.style.visibility = "hidden";
00105 }
00106 }
00107
00108 -->
00109 </SCRIPT>
00110 <script LANGUAGE="JavaScript">
00111 <!--
00112 {
00113
00114 function makeRelative(abpath) {
00115
00116     for(i=abpath.length; i>0; i--)
00117     {
00118         if( (abpath.charAt(i) == '\\') || (abpath.charAt(i) == '/') )
00119             break;
00120     }
00121
00122     relpath = abpath.substr( i+1 );
00123     return relpath;
00124 }
00125
00126 function startMediaPlayer() {
00127     LATEST_ASX = STATUS_PAGE.ASX;
00128     if ((NSPLAY1.PlayState != "2") && (LATEST_ASX != "")) {
00129         NSPLAY1.Open (LATEST_ASX);
00130     }
00131     else if (LATEST_ASX == "") {
00132         NSPLAY1.Stop();
00133         NSPLAY1.FileName = "unload";
```

```
00134 }
00135
00136 }
00137
00138
00139
00140 }
00141 -->
00142 </SCRIPT>
00143 <script LANGUAGE="JavaScript" FOR="NSPLAY1" EVENT="PlayStateChange (OLD_PLAY_STATE,
00144 > NEW_PLAY_STATE)">
00145 <!--
00146 {
00147 var CLIENT_SHOW_TIME = new Date(SHOW_TIME);
00148 var CLIENT_SHOW_END_TIME = new Date (SHOW_END_TIME);
00149 var UTC_SERVER_SHOW_TIME = CLIENT_SHOW_TIME.toUTCString();
00150 var CLIENT_CURRENT= new Date();
00151
00152 var timeRemaining = ((CLIENT_SHOW_TIME.getTime()) - (CLIENT_CURRENT.getTime()));
00153 var timeEndRemaining = ((CLIENT_SHOW_END_TIME.getTime()) - (CLIENT_CURRENT.getTime())
00154 > );
00155 if ((SHOW_TIME != "") && ( timeEndRemaining < 0))
00156     window.status = STATUS_AFTER;
00157     else
00158         DisplayState();
00159 }
00160 -->
00161 </SCRIPT>
00162 <script Language="VBScript">
00163 <!--
00164 Dim bSlidesDownloaded
00165 bSlidesDownloaded = False
00166 Dim iNumSlidesDownloaded
00167 iNumSlidesDownloaded = 0
00168
00169 Sub Window_OnLoad()
00170
00171     If MULTICAST = 1 Then
00172         CheckControls()
00173     End If
00174 End Sub
00175
00176
00177 Sub CheckControls
00178     On Error Resume Next
00179
00180     If LoadFTS Is Nothing Then
00181         MsgBox (FTS_LOAD_ERROR)
00182         FTS_LOADED = False
00183     Else
00184         FTS_LOADED = True
00185     End If
00186
00187     ' Wait until all objects are loaded.
00188     If (FTS_LOADED = True) Then
00189         LoadSlides()
00190     End If
00191 End Sub
00192
00193
00194 Sub LoadSlides()
00195     On Error Resume Next
00196
00197     Call LoadFTS.FtsRegisterStatusCallback(0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 4+8+16+32+64, 0)
00198
00199     If LoadFTS.FtsStartFileTransferReceive(VS_FTS_IP, VS_FTS_PORT, "", "", 0, 17409)
00200 > Then
00201         MsgBox ReturnError(StartError)
00202     Else
00203         window.status = FTS_WAITING_STATUS
```

```
00203 End If
00204
00205 End Sub
00206
00207 Sub LoadFts_FtsOnTransferStarted
00208 window.status = FTS_STARTING_STATUS
00209 End Sub
00210
00211 Sub LoadFts_FtsOnFileTransferStarted
00212 window.status = FTS_RECEIVING_STATUS & LoadFts.CurrentFilePath
00213 End Sub
00214
00215 Sub LoadFts_FtsOnFileTransferCompleted
00216 'window.status = FTS_FINISH_STATUS
00217 End Sub
00218
00219 Sub LoadFts_FtsOnTransferCompleted
00220 If bSlidesDownloaded = True Then
00221 iNumSlidesDownloaded = LoadFts.NumFilesTransferred
00222 Call KillFts
00223 Else
00224 bSlidesDownloaded=True
00225 End If
00226 End Sub
00227
00228 Sub LoadFts_FtsOnStatusChanged
00229 Cancelled = (LoadFts.TransferStatus = 5) And (LoadFts.Result = -2147467260)
00230 If Cancelled Then
00231 window.status = FTS_FINISH_STATUS & iNumSlidesDownloaded &
00232 » FTS_FINISH_STATUS_TRANS
00233 End If
00234 End Sub
00235 Sub KillFts
00236 On Error Resume Next
00237 Call LoadFts.FtsCancelFileTransferReceive
00238 End Sub
00239 -->
00240 </script>
00241 <script LANGUAGE="JavaScript" FOR="NSPLAY1" EVENT="ScriptCommand(TypeOfCommand,
00242 » anyParam)">
00243 <!--
00244 {
00245 if (SHOW_END_TIME != "") {
00246 var CLIENT_SHOW_END_TIME = new Date (SHOW_END_TIME);
00247 var CLIENT_CURRENT= new Date();
00248 var timeEndRemaining = ((CLIENT_SHOW_END_TIME.getTime()) - (CLIENT_CURRENT.getTime
00249 » ());
00250 }
00251 else
00252 var timeEndRemaining = 0;
00253 if (timeEndRemaining >= 0) {
00254 clearInterval(TimerID);
00255 if( window.statuspageloaded ) {
00256 STATUS_PAGE.Clock.innerHTML = STATUS_DURING;
00257 }
00258 Param = makeRelative(anyParam);
00259 if (TypeOfCommand.toUpperCase() == "URL") {
00260 if (document.location.href != Param)
00261 {
00262 document.location.href = "event.htm";
00263 }
00264 }
00265 }
00266 }
00267 -->
00268 </SCRIPT>
00269 </HEAD>
00270 <BODY BACKGROUND="nsnbg.gif" ID="lobby">
00271 <BUTTON LANGUAGE="javascript" NAME="ReplayButton" ID="ReplayButton" STYLE="cursor:
00272 » hand;color: black;padding: 2;font-size:8pt;position:absolute; left: 750; top:100;
```

```

» height:25" ONCLICK="location.href = 'event.htm#archive';"></BUTTON>
00272 <DIV ID="LITTLE_BLUE_LINE" STYLE="position:absolute; left: 660; top:113;">
00273 <IMG SRC="blueline.gif" ALT="blueline.gif" HEIGHT="1" WIDTH="90"></DIV>
00274 <DIV ALIGN="left" ID="logo" STYLE="position: absolute; font-weight: bold; top:10;">
00275 <IMG SRC="logo.GIF" ALT="Logo.GIF" WIDTH="161" HEIGHT="34">
00276 <DIV ALIGN="center" ID="FEATURE_TITLE" STYLE="font-weight: normal; font-size:
» 11px;letter-spacing: 2px;background-color: white;border-color:black; text-align:
» center; border-style: solid;border-width: 1px; position:relative; left:5px; top:0 ;
» width:165"></DIV>
00277 </DIV>
00278 <DIV ID="BLUE_LINE" STYLE="position:absolute; left: 180; top:60;">
00279 <IMG SRC="blueline.gif" ALT="blueline.gif" HEIGHT="2" WIDTH="824"></DIV>
00280 <DIV ID="STATUS_TICKER" STYLE="position:absolute; left: 110; top:100; width: 525;
» HEIGHT: 25">
00281 <IFRAME ID="STATUS_PAGE" WIDTH="550" HEIGHT="25" ALIGN="CENTER" FRAMEBORDER="1"
» MARGINHEIGHT="0" MARGINWIDTH="5" NAME="STATUS_PAGE" SCROLLING="AUTO" SRC=
» "1_status.htm"></IFRAME></DIV>
00282 <TABLE WIDTH=75% ALIGN=top STYLE="font-weight:normal;font-size:
» 10pt;position:absolute; left: 10; top:150" BORDER=0 CELLSPACING=3 CELLPADDING=4>
00283 <TR>
00284 <TD WIDTH=85 NOWRAP VALIGN=top >
00285 <DIV ID="EVENT_TITLE_LABEL" CLASS="labeleffect" ></DIV>
00286 </TD>
00287 <TD VALIGN=top>
00288 <DIV ID="EVENT_TITLE" CLASS="labeleffect" ></DIV>
00289 </TD>
00290 </TR>
00291 <TR>
00292 <TD WIDTH=85 NOWRAP VALIGN=top>
00293 <DIV ID="EVENT_PRESENTER_LABEL" CLASS="labeleffect" ></DIV>
00294 </TD>
00295 <TD VALIGN=top>
00296 <DIV ID="EVENT_PRESENTER" ></DIV>
00297 </TD>
00298 </TR>
00299 <TR>
00300 <TD WIDTH=85 NOWRAP VALIGN=top>
00301 <DIV ID="DATE_TIME_LABEL" CLASS="labeleffect"></DIV>
00302 </TD>
00303 <TD VALIGN=top>
00304 <DIV ID="DATE_TIME" ></DIV>
00305 </TD>
00306 </TR>
00307 <TR>
00308 <TD WIDTH=85 NOWRAP VALIGN=top>
00309 <DIV ID="EVENT_CONTACT_LABEL" CLASS="labeleffect"></DIV>
00310 </TD>
00311 <TD VALIGN=top>
00312 <DIV ID="EVENT_CONTACT" STYLE="z-index:10"></DIV>
00313 </TD>
00314 </TR>
00315 <TR>
00316 <TD WIDTH=85 NOWRAP VALIGN=top>
00317 <DIV ID="EVENT_DESCRIPTION_LABEL" CLASS="labeleffect"></DIV>
00318 </TD>
00319 <TD VALIGN=top>
00320 <DIV ID="EVENT_DESCRIPTION"></DIV>
00321 </TD>
00322 </TR>
00323 </TABLE>
00324 <DIV ALIGN="right" ID="nsplayer" STYLE="position:absolute; top:-500;"> script
» LANGUAGE="JavaScript">
00325 <!--
00326 {
00327 writeCodeBaseNSMediaPlayer();
00328 LATEST_ASX = STATUS_PAGE.ASX;
00329 NSPLAY1.Mute = "1";
00330 NSPLAY1.BaseURL = BASE_URL;
00331 NSPLAY1.SendPlayStateChangeEvents = "1";
00332 window.status = NSPLAYER_WINDOW_STATUS_WAITING;
00333 }
00334 }

```

```
00335
00336 -->
00337 </SCRIPT>
00338 <script LANGUAGE="JavaScript">
00339 <!--
00340 {
00341 obj = document.all.item ("NSPLAY1")
00342
00343 if ((STATUS_PAGE.SHOWHASENDED != "1")&& (obj.readyState == 4)){
00344     var TimerID = window.setInterval ("startMediaPlayer();", 2000);
00345 }
00346 }
00347 -->
00348 </SCRIPT>
00349 </DIV>
00350 <DIV ALIGN="right" ID="fts" STYLE="position:absolute; top:100;"> <script LANGUAGE=
00351     > "JavaScript">
00352 <!--
00353 {
00354 if (MULTICAST == "1"){
00355     writeCodeBaseFTS();
00356 }
00357 -->
00358 </SCRIPT>
00359 </DIV>
00360 </BODY>
00361 </HTML>
00362
```